Taylor & Francis
Taylor & Francis Group

EUROPEAN JOURNAL OF PHYCOLOGY CONTENTS AND INDEX TO VOLUME 42 (2007)

Volume 42, Issue 1 (February 2007) – Published 21 February 2007
Volume 42, Issue 2 (May 2007) – Published 25 May 2007
Volume 42, Issue 3 (August 2007) – Published 23 August 2007
Volume 42, Issue 4 (November 2007) – Published 21 December 2007

Abbiati, M. *see* Bulleri, F.
Airoldi, L. *see* Bulleri, F.
Bárbara, I. *see* Figueroa, F.L.
Bahulikar, R.A. & Kroth, P.G.: Localization of EPS components secreted by freshwater diatoms using differential staining with fluorophore-conjugated lectins and other fluorochromes 199
Baldisserotto, C. *see* Ferroni, L.
Bartsch, I. *see* Brodie, J.
Bauer, N. *see* Nuber, N.
Beszteri, B. *see* Hoppenrath, M.
Beszteri, B., John, U. & Medlin, L.K.: An assessment of cryptic genetic diversity within the *Cyclotella meneghiniana* species complex (Bacillariophyta) based on nuclear and plastid genes, and amplified fragment length polymorphisms 47
Beusekom, J.E.E. Van *see* Hoppenrath, M.
Bissinger, V. *see* Spijkerman, E.
Branca, M.G. *see* Bulleri, F.
Brawley, S.H. *see* Koester, J.A.
Bray, T. *see* Brodie, J.
Brodie, J., Bartsch, I., Neefus, C., Orfanidis, S., Bray, T. & Mathieson, A.C.: New insights into the cryptic diversity of the North Atlantic–Mediterranean '*Porphyra leucosticta*' complex: *P. olivii* sp. nov. and *P. rosengurttii* (Bangiales, Rhodophyta) 3
Brownlee, C. *see* Taylor, A.R.
Bulleri, F., Branca, M.G., Abbiati, M. & Airoldi, L.: Development of reproductive structures in the introduced green alga, *Codium fragile* ssp. *tomentosoides*, in the northern Adriatic Sea 137
Callow, J.A. *see* Stanley, M.S.
Calvete, J.J. *see* Medina-Ramirez, G.
Carpenter, B.G. *see* Medina-Ramirez, G.
Chen, G.-F., Wang, G.-C., Zhang, B.-Y. & Fan, X.-L.: Morphological and phylogenetic analysis of *Skeletonema costatum*-like diatoms (Bacillariophyta) from the China Sea 163
Chepurnov, V.A. *see* Poulíčková, A.
Chepurnov, V.A. *see* Vanormelingen, P.
Clerck, O. de *see* Figueroa, F.L.
Collins, T.F.T. *see* Taylor, A.R.
Cong, Y.Z. *see* Zhang, Q.S.
Cousin, S. *see* Vanormelingen, P.
Cox, E.J.: Editorial 1
Daguin, C. *see* Perrin, C.
Drebes, G. *see* Hoppenrath, M.
Endo, H. *see* Park, E.-J.
Engel, C.R. *see* Perrin, C.
Fan, X.-L. *see* Chen, G.-F.
Fasulo, M.P. *see* Ferroni, L.
Feist-Burkhardt, S. *see* Meier, K.J.S.
Ferroni, L., Baldisserotto, C., Zennaro, V., Soldani, C., Fasulo, M.P. & Pancaldi, S.: Acclimation to darkness in the marine chlorophyte *Koliella antarctica* cultured under low salinity: hypotheses on its origin in the polar environment 91
Figueroa, F.L., Korbee, N., Clerck, O. de, Bárbara, I. & Gall, E.A.R.: Characterization of *Grateloupia lanceola* (Halymeniales, Rhodophyta), an obscure foliose *Grateloupia* from the Iberian Peninsula, based on morphology, comparative sequence analysis and mycosporine-like amino acid composition 231
Freshwater, D.W. *see* Rodríguez-Prieto, C.
Fresnel, J. *see* Probert, I.
Fukuda, S. *see* Park, E.-J.
Gaedke, U. *see* Spijkerman, E.
Galatis, B. *see* Varvarigos, V.
Gall, E.A.R. *see* Figueroa, F.L.
Gibbs, R.V. *see* Medina-Ramirez, G.
Girnus, J. *see* Tischendorf, G.
Gornik, O. *see* Nuber, N.
Gross, W. *see* Tischendorf, G.
Halliger, H. *see* Hoppenrath, M.
Harper, G.M. *see* Taylor, A.R.
Ho, C.-L. *see* Teo, S.-S.
Hoffmann, S. *see* Tischendorf, G.
Hommersand, M.H. *see* Lin, S.-M.
Hoppenrath, M., Beszteri, B., Drebes, G., Halliger, H., Beusekom, J.E.E. Van, Janisch, S. & Wiltshire, K.H.: *Thalassiosira* species (Bacillariophyceae, Thalassiosirales) in the North Sea at Helgoland (German Bight) and Sylt (North Frisian Wadden Sea) – a first approach to assessing diversity 271
Ikeda, Y. *see* Kobiyama, A.

Jahn, R. & Schmid, A.-M.M.: Revision of the brackish-freshwater diatom genus *Bacillaria* Gmelin (Bacillariophyta) with the description of a new variety and two new species 295
Janisch, S. *see* Hoppenrath, M.
John, U. *see* Beszteri, B.
Karp-Boss, L. *see* Koester, J.A.
Katsaros, C. *see* Varvarigos, V.
Kirsch, M. *see* Meier, K.J.S.
Kitade, Y. *see* Park, E.-J.
Kobiyama, A., Ikeda, Y., Koike, K. & Ogata, T.: Isolation of a differentially expressed gene in separate mating types of the dinoflagellate *Alexandrium tamarense* 183
Kociolek, J.P. *see* Williams, D.M.
Koester, J.A., Brawley, S.H., Karp-Boss, L. & Mann, D.G.: Sexual reproduction in the marine centric diatom *Ditylum brightwellii* (Bacillariophyta) 351
Koike, K. *see* Kobiyama, A.
Korbee, N. *see* Figueroa, F.L.
Kroth, P.G. *see* Bahulikar, R.A.
Lauc, G. *see* Nuber, N.
Lee, W.-W. *see* Teo, S.-S.
Legrand, C. *see* Rengefors, K.
Li, X.J. *see* Zhang, Q.S.
Lin, S.-M., Hommersand, M.H. & Nelson, W.A.: An assessment of *Haraldiophyllum* (Delesseriaceae, Rhodophyta), including *H. crispatum* (J.D. Hooker et Harvey) comb. nov. from New Zealand based on *rbc*L and LSU sequence analysis and morphological evidence 391
Luo, S.J. *see* Zhang, Q.S.
Mann, D.G. *see* Koester, J.A.
Mann, D.G. *see* Poulíčková, A.
Mann, D.G. *see* Vanormelingen, P.
Mathieson, A.C. *see* Brodie, J.
Mayama, S. *see* Poulíčková, A.
Medina-Ramirez, G., Gibbs, R.V., Calvete, J.J. & Carpenter, B.G.: Micro-heterogeneity and molecular assembly of the haemagglutinins from the red algae *Bryothamnion seaforthii* and *B. triquetrum* from the Caribbean Sea 105
Medlin, L.K. *see* Beszteri, B.
Meier, K.J.S., Young, J.R., Kirsch, M. & Feist-Burkhardt, S.: Evolution of different life-cycle strategies in oceanic calcareous dinoflagellates 81
Meister, A. *see* Spijkerman, E.
Morant-Manceau, A., Nguyen, T.L.N., Pradier, E. & Tremblin, G.: Carbonic anhydrase activity and photosynthesis in marine diatoms 263
Nakada, T. & Nozaki, H.: Re-evaluation of three *Chlorogonium* (Volvocales, Chlorophyceae) species based on 18S ribosomal RNA gene phylogeny 177
Neefus, C. *see* Brodie, J.
Nelson, W.A. *see* Lin, S.-M.
Nguyen, T.L.N. *see* Morant-Manceau, A.
Nozaki, H. *see* Nakada, T.
Nuber, N., Gornik, O., Lauc, G., Bauer, N., Žuljević, A., Papeš, D. & Zoldoš, V.: Genetic evidence for the identity of *Caulerpa racemosa* (Forsskål) J. Agardh (Caulerpales, Chlorophyta) in the Adriatic Sea 113
Oesterhelt, C. *see* Tischendorf, G.
Ogata, T. *see* Kobiyama, A.
Orfanidis, S. *see* Brodie, J.
Pancaldi, S. *see* Ferroni, L.
Papeš, D. *see* Nuber, N.
Park, E.-J., Fukuda, S., Endo, H., Kitade, Y. & Saga, N.: Genetic polymorphism within *Porphyra yezoensis* (Bangiales, Rhodophyta) and related species from Japan and Korea detected by cleaved amplified polymorphic sequence analysis 29
Pearson, G.A. *see* Perrin, C.
Perrin, C., Daguin, C., Vliet, M. Van De, Engel, C.R., Pearson, G.A. & Serrão, E.A.: Implications of mating system for genetic diversity of sister algal species: *Fucus spiralis* and *Fucus vesiculosus* (Heterokontophyta, Phaeophyceae) 219
Phang, S.-M. *see* Teo, S.-S.
Poulíčková, A., Mayama, S., Chepurnov, V.A. & Mann, D.G.: Heterothallic auxosporulation, incunabula and perizonium in *Pinnularia* (Bacillariophyceae) 367
Pradier, E. *see* Morant-Manceau, A.
Probert, I. & Fresnel, J.: *Prymnesium lepailleurii* sp. nov. (Prymnesiophyceae), a new littoral flagellate from the Mediterranean Sea 289
Qu, S.C. *see* Zhang, Q.S.
Rahim, R.A. *see* Teo, S.-S.
Rengefors, K. & Legrand, C.: Broad allelopathic activity in *Peridinium aciculiferum* (Dinophyceae) 341
Rodríguez-Prieto, C., Freshwater, D.W. & Sánchez, N.: Vegetative and reproductive morphology of *Gloiocladia repens* (C. Agardh) Sánchez et Rodríguez-Prieto comb. nov. (Rhodymeniales, Rhodophyta), with a taxonomic re-assessment of the genera *Fauchea* and *Gloiocladia* 145
Russell, M.A. *see* Taylor, A.R.
Sánchez, N. *see* Rodríguez-Prieto, C.
Saga, N. *see* Park, E.-J.
Schmid, A.-M.M. *see* Jahn, R.
Schnarrenberger, C. *see* Tischendorf, G.
Serrão, E.A. *see* Perrin, C.
Soldani, C. *see* Ferroni, L.
Spijkerman, E., Bissinger, V., Meister, A. & Gaedke, U.: Low potassium and inorganic carbon concentrations influence a possible phosphorus limitation in *Chlamydomonas acidophila* (Chlorophyceae) 327
Stanley, M.S. & Callow, J.A.: Whole cell adhesion strength of morphotypes and isolates of *Phaeodactylum tricornutum* (Bacillariophyceae) 191
Tang, X.X. *see* Zhang, Q.S.

Taylor, A.R., Russell, M.A., Harper, G.M., Collins, T.F.T. & Brownlee, C.: Dynamics of formation and secretion of heterococcoliths by *Coccolithus pelagicus* ssp. *braarudii* 125
Tee, J.-M. *see* Teo, S.-S.
Teo, S.-S., Ho, C.-L., Teoh, S., Lee, W.-W., Tee, J.-M., Rahim, R.A. & Phang, S.-M.: Analyses of expressed sequence tags from an agarophyte, *Gracilaria changii* (Gracilariales, Rhodophyta) 41
Teoh, S. *see* Teo, S.-S.
Tischendorf, G., Oesterhelt, C., Hoffmann, S., Girnus, J., Schnarrenberger, C. & Gross, W.: Ultrastructure and enzyme complement of proplastids from heterotrophically grown cells of the red alga *Galdieria sulphuraria* 243
Tremblin, G. *see* Morant-Manceau, A.
Vanormelingen, P., Chepurnov, V.A., Mann, D.G., Cousin, S. & Vyverman, W.: Congruence of morphological, reproductive and ITS rDNA sequence data in some Australasian *Eunotia bilunaris* (Bacillariophyta) 61
Varvarigos, V., Galatis, B. & Katsaros, C.: Radial endoplasmic reticulum arrays co-localize with radial F-actin in polarizing cells of brown algae 253
Vliet, M. Van De *see* Perrin, C.
Vyverman, W. *see* Vanormelingen, P.
Walne, P.L. *see* Wołowski, K.
Wang, G.-C. *see* Chen, G.-F.
Williams, D.M. & Kociolek, J.P.: Pursuit of a natural classification of diatoms: History, monophyly and the rejection of paraphyletic taxa 313
Wiltshire, K.H. *see* Hoppenrath, M.
Wołowski, K. & Walne, P.L.: *Strombomonas* and *Trachelomonas* species (Euglenophyta) from south-eastern USA 411
Young, J.R. *see* Meier, K.J.S.
Žuljević, A. *see* Nuber, N.
Zennaro, V. *see* Ferroni, L.
Zhang, B.-Y. *see* Chen, G.-F.
Zhang, Q.S., Cong, Y.Z., Qu, S.C., Luo, S.J., Li, X.J. & Tang, X.X.: A simple and highly efficient method for the cryopreservation of *Laminaria japonica* (Phaeophyceae) germplasm 209
Zoldoš, V. *see* Nuber, N.

SUBJECT INDEX

18S rDNA, 145
18S rRNA, 177

Alexandrium tamarense, 183
acidic lake, 327
actin, 253
adhesion, 191
Adriatic Sea, 113
algicidal effect, 341
alkaline phosphatase activity, 341
allelopathy, 341
allogamy, 47
allopatric, 61
amino acid sequence, 105
Antarctica, 91
artificial habitats, 137
auxosporulation, 61, 351, 367

Bacillaria, 295
Bryothamnion seaforthii, 105
Bryothamnion triquetrum, 105
Bacillariophyta, 61
bicarbonate, 263
biodiversity, 271
biofouling, 191
biogeography, 295, 411

Calciodinellum levantinum, 81
Caulerpa racemosa, 113
Chlamydomonas, 327
Chlorogonium, 177
Choristocarpus tenellus, 253
Codium fragile ssp. *tomentosoides*, 137
Cyclotella meneghiniana, 47
Calcareous dinoflagellates, 81
calcification, 125
carbon-concentrating mechanism, 263
carbonic anhydrase, 263
cell size, 351
cell-wall; habitat; morphology; motile colonies, 295
Ceramiales, 391
Chlorophyceae, 177
chloroplast, 91, 243
chromosomes, 3
cleaved amplified polymorphic sequence, 29
CO_2, 327
coccolithophore, 125
confocal laser scanning microscopy, 81
Cryopreservation, 209
cryptic diversity, 3
cryptic species, 47
culture strain, 177
cultures, 81
cytoskeleton, 125

Ditylum, 351

DAPI (diamidino phenylindole), 199
darkness, 91
dedifferentiation, 243
Delesseriaceae, 391
density-dependent regulation, 137
diatom classification, 313
diatom, 47, 191, 263
diatoms, 61, 271, 351, 367
dimethylsulphoxide, 209
dinoflagellates, 341
dioecious, 219
diversity, 163
DTAF (dichlorotriazinyl aminofluorescein), 199

Eunotia bilunaris, 61
electron microscopy, 243
endoplasmic reticulum, 125, 253
epilithic biofilm, 199
Euglenophyceae, 411
evolution, 81
exocytosis, 125
expressed sequence tag (EST), 41
extracellular polymeric substances, 191
extreme chemical environment, 327

Faucheaceae, 145

Gloiocladia furcata, 145
Gloiocladia repens, 145
Gloiocladia, 145
Gracilaria changii, 41
Grateloupia, 231
genetic diversity, 219
genetic polymorphism, 113
Golgi body, 125
gradual cooling, 209

HABs, 163
Haptophyta, 289
Haraldiophyllum, 391
Helgoland Reede, 271
hermaphrodite, 219
heterothally, 61, 367
history, 313

in situ fluorescence, 327
incunabula, 367
invasive algae, 113
invasive species, 137
isohaemagglutinins, 105
isozymes, 243
ITS rDNA, 61
ITS1, 3
ITS1-ITS2, 113

Koliella antarctica, 91

Laminaria japonica, 209
Leonella granifera, 81
Lake Constance, 199
lectins, 199
life cycle, 183
life history, 351
life-cycle, 81
LSU rDNA, 163, 231

Macrocystis pyrifera, 253
MAA, 231
macroalgae, 209
marine reproductive ecology, 219
mass spectrometry, 105
mating system, 61, 219, 351
mating type, 183
Mediterranean, 3, 289
meiosis, 367
microalgae, 271, 289
microdiversity, 47
microsatellites, 219
minimum cell quota for phosphorus, 327
mitochondrion, 91
molecular biology, 3
molecular phylogeny, 113, 177
monophyletic species, 177
monophyly, 313
morphology, 3, 163, 231, 271, 391
multimeric structures, 105
mycosporine-like amino acids, 231
Myriogrammeae, 391

New Zealand, 391
nomenclature, 295
North Atlantic, 3
nucleus, 91
nutrient deficiency, 341

Peridinium aciculiferum, 341
Porphyra leucosticta, 3
Porphyra tenera, 29
Porphyra yezoensis, 29
Prymnesium lepailleurii, 289
paraphyly, 313
perizonium, 367
Phaeophyceae, 209, 253
phosphatases, 327
photosynthesis, 125, 263
photosystem II (PSII), 91
phylogenetics, 391
phylogeny, 163
phytoplankton, 271
Pinnulariaceae, 367
polarity, 253
polymorphism, 29
programmed cell death, 91
Prymnesiophyceae, 289

*rbc*L, 3, 231
rDNA SSU, 3
rDNA, 113
red marine algae, 105
reproduction, 137, 145
Rhodophyta, 29, 41, 145, 391
Rhodymeniales, 145

Skeletonema, 163
Splachnidium rugosum, 253
Strombomonas, 411
salinity, 91
seasonality, 271
seaweed, 41
secretion, 125
self-fertilization, 219
sexual reproduction, 61, 183, 351, 367
silicone elastomers, 191
spatial variation, 137
species taxonomy, 177
spores, 209
SSU rDNA, 29
subtractive hybridization, 183
sucrose density gradient, 243

Thoracosphaera heimii, 81
Trachelomonas, 411
taxonomy, 113, 145, 163, 271, 295, 411
threshold SRP concentration for growth, 327
toxic, 289
transcriptome, 41

wave exposure, 137